

Claudio Puglia

Nazionalità:

****____

Data di nascita:

Genere:

Indirizzo e-mail:

Sito web:

Skype:

in LinkedIn:

Indirizzo:

ISTRUZIONE E FORMAZIONE

Dottorato in Fisica

Università di Pisa [nov 17 - Attuale]

Indirizzo: Pisa (Italia)

Campi di studio: Superconduttività sperimentale

Livello EQF: Livello 8 EQF

- Criogenia (Criostati a diluizione 3He/4He: CF-CS110 Leiden Cryogenics e Triton 200 Oxford Instruments)
- Misure a bassa temperatura (caratterizzazione di giunzioni Josephson e misure di trasporto elettronico e termico su dispositivi mesoscopici superconduttivi)
- Nano e micro fabbricazione (litografia elettronica, DC magneto-sputtering, deposizione ad angolo con evaporator a fascio eletronico, scanning electron microscopy, reactive ion etching)

Laurea magistrale in Fisica della Materia

Università di Pisa [set 15 - ott 17]

Indirizzo: Pisa (Italia)

Campi di studio: Fisica della materia condensata Voto finale: 106 - Livello EQF: Livello 7 EQF Tesi: Phase-Coherent Josephson Thermal Router

Caratterizzazione delle proprietà di trasporto elettrico e termico in sistemi mesoscopici superconduttori caloritronici.

Laurea triennale in Fisica

Università di Pisa [set 12 - set 15]

Indirizzo: Pisa (Italia) Livello EQF: Livello 6 EQF

ESPERIENZA LAVORATIVA

Traineeship in experimental Physics research

Laboratorio NEST [gen 17 - ott 17]

Indirizzo: Pisa (Italia)

- Tecniche criogeniche con frigoriferi a diluizione (Triton 200 Oxford Instruments)
- Misure elettriche a temperature criogeniche (< 4 K)

Insegnante

Consorzio CNA Servizi per gli Installatori [ott 15 – ott 17]

Indirizzo: Trapani (Italia)

Principi basilari di fisica tecnica e di termodinamica

COMPETENZE LINGUISTICHE

Lingua madre:

italiano

Altre lingue:

inglese

ASCOLTO C1 LETTURA C1 SCRITTURA C1

PRODUZIONE ORALE C1 INTERAZIONE ORALE C1

PUBBLICAZIONI

Gate-Controlled Suspended Titanium Nanobridge Supercurrent Transistor

[2020]

https://pubs.acs.org/doi/10.1021/acsnano.0c05355

M. Rocci, G. De Simoni, C. Puglia et al., ACS Nano 14, 12621 (2020).

Under standard conditions, the electrostatic field-effect is negligible in conventional metals and was expected to be completely ineffective also in superconducting metals. This common belief was recently put under question by a family of experiments that displayed full gate-voltage-induced suppression of critical current in superconducting all-metallic gated nanotransistors. To date, the microscopic origin of this phenomenon is under debate, and trivial explanations based on heating effects given by the negligible electron leakage from the gates should be excluded. Here, we demonstrate the control of the supercurrent in fully suspended superconducting nanobridges. Our advanced nanofabrication methods allow us to build suspended superconducting Ti-based supercurrent transistors which show ambipolar and monotonic full suppression of the critical current for gate voltages of VGC $\simeq 18\,\mathrm{V}$ and for temperatures up to $\sim\!80\%$ of the critical temperature. The suspended device architecture minimizes the electron–phonon interaction between the superconducting nanobridge and the substrate, and therefore, it rules out any possible contribution stemming from charge injection into the insulating substrate. Besides, our finite element method simulations of vacuum electron tunneling from the gate to the bridge and thermal considerations rule out the cold-electron field emission as a possible driving mechanism for the observed phenomenology. Our findings promise a better understanding of the field effect in superconducting metals.

Pisa Iì, 27/01/2021

Vanadium gate-controlled Josephson half-wave nanorectifier

[2020]

https://aip.scitation.org/doi/10.1063/5.0013512

C. Puglia, G. De Simoni, N. Ligato, and F. Giazotto, Appl. Phys. Lett. 116, 252601 (2020).

Recently, the possibility to tune the critical current of conventional metallic superconductors via electrostatic gating was shown in wires, Josephson weak-links, and superconductor-normal metal-superconductor junctions. Here, we exploit such a technique to demonstrate a gate-controlled vanadium-based Dayem nano-bridge operated as a half-wave rectifier at 3 K. Our devices exploit the gate-driven modulation of the critical current of the Josephson junction and the resulting steep variation of its normal-state resistance, to convert an AC signal applied to the gate electrode into a DC one across the junction. All-metallic superconducting gated rectifiers could provide the enabling technology to realize tunable photon detectors and diodes useful for superconducting electronics circuitry.

Niobium Dayem nano-bridge Josephson gate-controlled transistors

https://aip.scitation.org/doi/10.1063/5.0011304

G. De Simoni, C. Puglia, and F. Giazotto, Appl. Phys. Lett. 116, 242601 (2020).

We report on the realization of Nb-based all-metallic Dayem nano-bridge gate-controlled transistors (Nb-GCTs). These Josephson devices operate up to a temperature of ~3 K and exhibit full suppression of the supercurrent thanks to the application of a control gate voltage. The dependence of the kinetic inductance and of the transconductance on gate voltage promises a performance already on par with so far realized metallic Josephson transistors and leads us to foresee the implementation of a superconducting digital logic based on the Nb-GCT. We conclude by showing the practical realization of a scheme implementing an all-metallic gate-tunable half-wave rectifier to be used for either superconducting electronics or photon detection applications.

Electrostatic Control of Phase Slips in Ti Josephson Nanotransistors

https://journals.aps.org/prapplied/abstract/10.1103/PhysRevApplied.13.054026

C. Puglia, G. De Simoni, and F. Giazotto, Phys. Rev. Appl. 13, 054026 (2020).

The investigation of the switching-current probability distribution of a Josephson junction is a conventional tool to gain information on the dynamics of the phase slips as a function of the temperature. Here we adopt this well-establish ed technique to probe the impact of an external static electric field on the occurrence of phase slips in gated all-metallic titanium (Ti) Josephson weak links. We show, in a temperature range between 20 and 420 mK, that the evolution of the dynamics of the phase slips as a function of the electrostatic field starkly differs from that observed as a function of the temperature. This fact demonstrates, on the one hand, that the electric field suppression of the critical current is not simply related to a conventional thermal-like quasiparticle overheating in the weak-link region. On the other hand, our results may open the way to operate an electrostatic-driven manipulation of phase slips in metallic Josephson nanojunctions, which can be pivotal for the control of decoherence in superconducting nanostructures.

Pisa Iì, 27/01/2021

Field-effect control of metallic superconducting systems

[2019]

https://avs.scitation.org/doi/10.1116/1.5129364

F. Paolucci, G. De Simoni, P. Solinas, E. Strambini, C. Puglia et al., AVS Quantum Sci. 1, 016501

Static electric fields have a negligible influence on the electric and transport properties of a metal because of the screening effect. This belief was extended to conventional metallic superconductors. However, recent experiments have shown that the superconductor properties can be controlled and manipulated by the application of strong electrostatic fields. Here, the authors review the experimental results obtained in the realization of field-effect metallic superconducting devices exploiting this phenomenon. The authors start by presenting the pioneering results on superconducting Bardeen–Cooper–Schrieffer wires and nanoconstriction Josephson junctions (Dayem bridges) made of different materials, such as titanium, aluminum, and vanadium. Then, the authors show the mastering of the Josephson supercurrent in superconductor-normal metal-superconductor proximity transistors, suggesting that the presence of induced superconducting correlations is enough to see this unconventional field-effect. Later, the authors present the control of the interference pattern in a superconducting quantum interference device, indicating the coupling of the electric field with the superconducting phase. The authors conclude this review by discussing some devices that may represent a breakthrough in superconducting quantum and classical computation

Josephson Field-Effect Transistors Based on All-Metallic Al/Cu/Al Proximity Nanojunctions [2019]

https://pubs.acs.org/doi/10.1021/acsnano.9b02209

G. De Simoni, F. Paolucci, C. Puglia, and F. Giazotto, ACS Nano 13, 7871 (2019).

We demonstrate proximity-based all-metallic mesoscopic superconductor-normal metal-superconductor (SNS) field-effect controlled Josephson transistors (SNS-FETs) and show their full characterization from the critical temperature. To down to 50 mK in the presence of both electric and magnetic fields. The ability of a static electric field—applied by means of a lateral gate electrode—to suppress the critical current Is in a proximity-induced superconductor is proven for both positive and negative gate voltage values. Is reached typically about or e-third of its initial value, saturating at high gate voltages. The transconductance of our SNS-FETs obtains values as high as 100 nA/V at 100 mK. On the fundamental physics side, our results suggest that the mechanism at the basis of the observed phenomenon is quite general and does not rely on the existence of a true pairing potential, but rather the presence of superconducting correlations is enough for the effect to occur. On the technological side, our findings widen the family of materials available for the implementation of all-metallic field-effect transistors to synthetic proximity-induced superconductors.

Phase-Tunable Josephson Thermal Router

[2018]

https://pubs.acs.org/doi/10.1021/acs.nanolett.7b04906

G.F. Timossi, A. Fornieri, F. Paolucci, C. Puglia, and F. Giazotto, Nano Lett. 18, 1764 (2018).

A fundamental aspect of electronics is the ability to distribute a charge current among different terminals. On the other hand, despite the great interest in dissipation, storage, and conversion of heat in solid state structures, the control of thermal currents at the nanoscale is still in its infancy. Here, we show the experimental realization of a phase-tunable thermal router able to control the spatial distribution of an incoming heat current, thus providing the possibility of tuning the electronic temperatures of two output terminals. This ability is obtained thanks to a direct current superconducting quantum interference device (dc SQUID), which can tune the coherent component of the electronic heat currents flowing through its Josephson junctions. By varying the external magnetic flux and the bath temperature, the SQUID allows us to regulate the size and the direction of the thermal gradient between two drain electrodes. Our results offer new opportunities for all microcircuits requiring an accurate energy management, including electronic coolers, quantum information architectures, and thermal logic components.



Proceedings of the event IPSP2018: Industrial Problem Solving with Physics

[2018]

https://event.uni/m.it/ipsp2018/IPSP2018 Proceedings Ebook%20(1).pdf

CONFERENZE E SEMINARI

NanoQI'19: Nanotechnology meets Quantum Information

[Donostia-San Sebastian, 22 lug 19 - 26 lug 19]

Poster contribution: Field-effect metallic superconducting electronics

International School of Statistical Physics: New Trends in Nonequilibrium Statistical Mechanics: Classical and Quantum Systems

[Schools at the Ettore Majorana Foundation and Centre for Scientific Culture, Erice, Italia, 25 lug 18 – 31 lug 18]

Poster contribution: Phase-Tunable Josephson Thermal Router

Industrial Problem Solving with Physics 2018

[Polo Scientifico e Tecnologico "Fabio Ferrari", via Sommarive 9 - Povo, Trento., 16 lug 18 – 21 lug 18]

Industrial Problem Solving with Physics (IPSP) è un evento della durata di una settimana, organizzato dal Dipartimento di Fisica, dalla Scuola di Dottorato in Fisica e dalla Divisione Supporto Ricerca Scientifica e Trasferimento Tecnologico dell'Università di Trento, in collaborazione con Confindustria Trento, Polo Meccatronica - Trentino Sviluppo e con il coinvolgimento di Contamination Lab Trento.

Scopo dell'evento è quello di promuovere la connessione tra il mondo della ricerca in fisica e il mondo delle imprese. I giovan ricercatori avranno l'opportunità di mettere alla prova le proprie conoscenze e capacità, mentre le aziende sperimenteranno l'opportunità unica di collaborare con cervelli di talento.

Mauterndorf Winterschool 2018

[Mauterndorf, 5570, Austria, 26 feb 18 - 2 mar 18]

ONORIFICENZE E RICONOSCIMENTI

Finalista Premio Nazionale dell'innovazione

[dic 20]

https://www.pnicube.it/pni-2020

3° posto Start Cup Toscana 2020

f ott 201

http://www.startcuptoscana.it/news/proclamati-i-vincitori-della-start-cup-toscana-2020

Membro del team vincitore dell'IPSP2018

Università di Trento in collaborazione con Confindustria Trento e Polo Meccatronica-Trentino S. [lug 18] https://webmagazine.unitn.it/news/ateneo/44154/ipsp2018-vince-il-team-lemur

Pisa Iì, 27/01/2021